

Theory of surface plasmons and surface-plasmon polaritons

J M Pitarke^{1,2}, V M Silkin², E V Chulkov^{2,3} and P M Echenique^{2,3}

¹ Materia Kondentsatuaren Fisika Saila, Zientzi Fakultatea, Euskal Herriko Unibertsitatea, 644 Posta kutxatila, E-48080 Bilbo, Basque Country, Spain

² Donostia International Physics Center (DIPC) and Unidad de Física de Materiales CSIC-UPV/EHU, Manuel de Lardizabal Pasealekua, E-20018 Donostia, Basque Country, Spain

³ Materialen Fisika Saila, Kimika Fakultatea, Euskal Herriko Unibertsitatea, 1072 Posta kutxatila, E-20080 Donostia, Basque Country, Spain

Received 2 August 2006, in final form 9 October 2006

Published 7 December 2006

Online at stacks.iop.org/RoPP/70/1

Abstract

Collective electronic excitations at metal surfaces are well known to play a key role in a wide spectrum of science, ranging from physics and materials science to biology. Here we focus on a theoretical description of the many-body dynamical electronic response of solids, which underlines the existence of various collective electronic excitations at metal surfaces, such as the conventional surface plasmon, multipole plasmons and the recently predicted acoustic surface plasmon. We also review existing calculations, experimental measurements and applications.

This article was invited by Professor M Finnis.

Contents

	Page
1. Introduction	4
2. Surface-plasmon polariton: classical approach	8
2.1. Semi-infinite system	8
2.1.1. The surface-plasmon condition.	8
2.1.2. Energy dispersion.	10
2.1.3. Skin depth.	11
2.2. Thin films	12
3. Nonretarded surface plasmon: simplified models	13
3.1. Planar surface plasmon	14
3.1.1. Classical model.	14
3.1.2. Nonlocal corrections.	14
3.1.3. Hydrodynamic approximation.	15
3.2. Localized surface plasmons: classical approach	17
3.2.1. Simple geometries.	17
3.2.2. Boundary-charge method.	18
3.2.3. Composite systems: effective-medium approach.	19
3.2.4. Periodic structures.	21
3.2.5. Sum rules.	21
4. Dynamical structure factor	23
5. Density-response function	23
5.1. Random-phase approximation (RPA)	24
5.2. Time-dependent density-functional theory	25
5.2.1. The XC kernel.	25
6. Inverse dielectric function	27
7. Screened interaction	28
7.1. Classical model	28
7.1.1. Planar surface.	29
7.1.2. Spheres.	29
7.1.3. Cylinders.	31
7.2. Nonlocal models: planar surface	33
7.2.1. Hydrodynamic model.	33
7.2.2. Specular-reflection model (SRM).	35
7.2.3. Self-consistent scheme.	38
8. Surface-response function	42
8.1. Generation-rate of electronic excitations	42
8.2. Inelastic electron scattering	43
8.3. Surface plasmons: jellium surface	44
8.3.1. Simple models.	44
8.3.2. Self-consistent calculations: long wavelengths.	45
8.3.3. Self-consistent calculations: arbitrary wavelengths.	47

8.3.4. Surface-plasmon linewidth.	49
8.3.5. Multipole surface plasmons.	51
8.4. Surface plasmons: real surfaces	54
8.4.1. Stabilized jellium model.	54
8.4.2. Occupied d-bands: simple models.	55
8.4.3. First-principles calculations.	60
8.5. Acoustic surface plasmons	63
8.5.1. A simple model.	63
8.5.2. 1D model calculations.	65
8.5.3. First-principles calculations.	69
8.5.4. Excitation of acoustic surface plasmons.	69
9. Applications	70
9.1. Particle–surface interactions: energy loss	70
9.1.1. Planar surface.	72
9.2. STEM: valence EELS	75
9.2.1. Planar surface.	76
9.2.2. Spheres.	77
9.2.3. Cylinders.	78
9.3. Plasmonics	78
Acknowledgments	80
References	80